madimack

AI-Cordless Robotic Pool Cleaner

i30/45/60/80

gt freedom



USER MANUAL

THANK YOU

Congratulations on purchasing Madimack's innovative GT Freedom cordless robotic cleaner! We are so happy you chose our brand to partner with. The Madimack GT Freedom represents a new era in cleaning technology, and we are thrilled that you are now a proud owner. With its cutting-edge features, intelligent navigation, and powerful performance, this robotic cleaner is set to revolutionise your cleaning routine and provide you with unmatched convenience.

We are committed to your satisfaction and are here to support you throughout your ownership journey. Should you have any questions, feedback, or require any assistance with your new Madimack GT Freedom cordless robotic cleaner, please visit our website which is just a click away www.madimack.com.

Once again, congratulations on your purchase! Enjoy getting to know one of our favourite products, the GT Freedom.

Warm regards,

Alex Welsh

Madimack Global CEO

CONTENTS

Notice	6
Tips	8
Section 1. Product Overviews	
1.1 Packaging content	10
1.2 Technical specification	11
1.3 Preparation	12
Section 2. Operation	
2.1 Introduction of button	15
2.2 Operation on the display of the unit	17
2.3 Cleaning filter basket	18
2.4 Charging the robot	19
2.5 WIFI matching for the robot	20
Section 3. Maintenance	
3.1 Filter maintenance	23
3.2 Impeller maintenance	24
3.3 Replace the worn brushes	25
3.4 Replace the worn tracks	26
Section 4. Trouble Shooting	28

NOTICE

WARNINGS

Information contained in this warnings page will help you operate the robot safely, protect yourself and others from hazards, and prevent damage to the robot and other property.

General Warnings

- The robot is designed for pool cleaning; do not use it for other purposes.
- · Read the instructions before operating the robot.
- Keep the robot out of the reach of children or persons with reduced physical, sensory, or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction.
- · Children should not play with the robot.
- The robot must be maintained by dealer except for simple routine maintenance written in this manual.
- Installers must follow manufacturer's instruction and keep in compliance
 with national or local standards for installation. Under no circumstances will
 the manufacturer be held responsible for any outcome incurred by failure to
 comply with applicable standards or local regulations.
- Incorrect installation or use of the robot may cause serious damage to property or injuries to people.
- Do not enter pool while the robot is in water.

Warnings On Use

- For the purposes of recharging the battery, only use the detachable supply unit provided with this appliance, and operated this power supply at least 3.5 meters from the edge of the pool.
- Disconnect the robot from the power supply and insert back the magnetic cap before any maintenance on the robot.
- · Do not operate the robots with wet hands.

- Disconnect the robot from the supply mains before carrying out user maintenance such as cleaning the filter.
- Do not try to repair the robot yourself or open engine box in case of malfunction, please contact your dealer.
- If there is any malfunction or release of odor from the robot when charging, disconnect it from the power supply immediately and contact your dealer.
- Use only original replacement parts supplied by the manufacturer for service and repair.

Special Conditions Applicable To Robot

- The robot is intended for swimming pools with a depth less than 3 meters and a water temperature between 0°C ~ 35°C. (Below 15°C the endurance time may be affected)
- The robot will automatically stop running if the water depth is less than 40 centimeters for the purpose of motor protection.
- · Do not use the robot during shock chlorination.
- Do not use the robot in thunder storm or stormy weather.
- Do not expose the robot to direct rainfall or sunlight for an extended period.
- Optimum storage temperature between -20 \sim 60°C and storage humidity between 35%-85%/RH.

CAUTIONS

- Rest/hold the robot by the pool edge for water to drain out before lifting the robot out of water, do it slowly so as to prevent back injury.
- · Clean the filter basket after each cleaning cycle.
- · Do not lift the robot out of water by track.

REMINDER

• When the robot battery is below 30%, it will clean the floor of the pool only.

TIPS


How to achieve the most efficient cleaning

It is recommended to place the robot at the pool corner, which will facilitate quick coverage of the entire pool floor area.




How to let the water drain out while removing robot from the pool

Place the robot on the edge of the pool for a while and let the water drain out.



How to open the filter box





For battery protection, it is recommended that the robot should be fully charged every 3 months and magnetic cap should be inserted back if the robot is not to be used for more than 14 days.


PRODUCT OVERVIEWS

1.1

Packaging content

The following items are included in the packaging of robot. Please contact your dealer if any damage or loss.

- 1 GT Freedom robot
- 2 Charger
- 3 Hook
- 4 Magnetic cap*2
- 5 User manual



NOTE:

- 1. Remove the Magnetic cap 2 when using or charging. Insert Magnetic cap to machine's bottom for battery protection when not using the robot for more than 14 days.
- 2. If software exception happens, insert Magnetic cap to machine's bottom for 2 seconds, then remove it to restart.

1.2

Technical specification

Model	i30	i45	i60	i80	
PERFORMANCE CONDITION: FI	oor mode				
Endurance time*	3h	4.5h	6h	8h	
PERFORMANCE CONDITION*: F	Floor/wall/watinerle	mode			
Endurance time	2h	2.5h	3.5h	4.5h	
Charging time	2h	3h	4h	5h	
Battery capacity	5.2Ah (131wh)	7.8Ah (196wh)	10.4Ah (262wh)	14Ah (352wh)	
Optimum pool temperature	0~35°C				
Cleaning mode		Floor - Floor/	Floor – Floor/Wall/Waterline		
Cleaning duration options		0.5h /1h / 2h / M	ax run per model		
Cycle setting	Once cycle / 24hrs /48hr / 72 hr				
3D S Path with InverMac	YES				
App application	YES				
Filter capacity	3.2L				
Filtration accuracy	180μm(80mesh) 300 - 150 (L/min) 360L - 160 (L/min) 110 - 30W 12m/min 3 90-265VAC ~ 50/60Hz 25.2V/1.2A				
Pump flow rate					
Running power					
Moving speed					
Motor number					
Charger input					
Running voltage/current					
Charger power	72.5W				
Robot NW	11.5kg	11.5kg	12kg	12kg	
Robot GW Shipping	16.5kg	16.5kg	17kg	17kg	
Robot dimension (L*W*H)	495*395*265 mm 580*448*330 mm				
Robot packaging dimension (L*W*H)					

^{*} Reference: Above working time is based on 2 hours' cleaning each time at floor mode in the liner pool. Note: The manufacturer reserves the right to modify these specifications without notice.


PRODUCT OVERVIEWS

1.3

Preparation




Remove the Magnetic cap from the bottom of the robot and store it well.






Connected to 90-265V power supply through charger. The red light of the power indicator is on: charging The green light is of the power indicator is on: fully charged already. Please fully charge the robot before the first use.





Remove the plug cover. After fully charged, the plug should be covered back.





Install the configured hook on the rod (Rod is exclusive).



gt freedom




CAUTIONS

- After cleaning is completed, put the robot in the cooling dry place against direct sunlight.
- The robot becomes heavier when filled with water. Pay special attention when lifting it out of the water, wait till water drains out from it.


IMPORTANT

- After settings are done, please drop the robot into the water within 3 minutes, or the robot will enter into the sleeping mode.
- Clean the filter basket after cleaning cycle, please avoid cleaning the surface of the filter box directly with your hands.
- The robot has a safety feature that automatically stops if a dry run happens.
- Move the robot slightly in all directions so that the air contained in the robot escapes, and the robot can go down into the water easily. Showed below.



2.1

Introduction of button



Type of button	Icon	Display Status	Description	
	(')	Green light flashes	Setup status	
Power switch		Green light being on	Running status/Inspection status under water	
		1 green light being on	Cleaning time: 0.5H	
Clooping time cotup		2 green lights being on	Cleaning time: 1.0H	
Cleaning time setup		3 green lights being on	Cleaning time: 2.0H*	
		All lights being off	Cleaning until low battery	
Cleaning media		Triangle green light in the floor being on	Floor cleaning mode	
Cleaning mode		Both Triangle green lights being on	Overall cleaning mode (Floor, wall, waterline)	
	° C	1 green light being on	Cleaning every 24 hours	
Al Mode		2 green lights being on	Cleaning every 48 hours	
		3 green lights being on	Cleaning every 72 hours	
		All lights being off	Do not need Al Mode	
Error code		1	Left drive failure	
		2	Right drive failure	
		3	Abnormal water pump	
		4	Abnormal Control panel communication	
		5	Infrared sensor anomalies	
		6	Abnormal water sensor	

Type of button	Icon	Display Status	Description
Battery light		1 green light being on	Battery level: 20-50%
(Non-charging status)	•	2 green lights being on	Battery level: 50-75%
		3 green lights being on	Battery level: 75-100%
		1 red light flashes	Battery level: 15-20%
Low battery		1 green light flashes	Battery level: 0-50%
		1 green light being on, 1 green light flashes	Battery level: 50-75%
Battery light (Charging status)		2 green lights being on, 1 green light flashes	Battery level: 75-100%
		3 green lights being on	Battery level: 100%
	(Co-	Green light flashes	Network matching
Signal light		Green light on	Network matched
		Red light flashes	Failure Connection

^{*} Note: If the cleaning time is set to be more than 2 hours via App, there will also be 3 lights on.

2.2

Operation on the display of the unit



Holding of for 3 seconds to activate the device, then of flashes, you can start setup the robot. After setup, press once* again for confirmation your settings. Then put the robot into the water, the robot will start cleaning automatically after it reaches to the floor. Please noted that if there is no operation on robot within 3 minutes as the oin flashing status, the robot will shut down and enter into sleeping status.

*Note: There are 2 different situations when set up the AI Mode: (Take set of "Cleaning every 24 hours" in AI Mode for example)

- a. If press once and then put the robot into the water, the robot will start work immediately. After once cleaning cycle, the robot will enter sleeping mode and automatically wake up and work after 24 hours.
- b. If press of for 3s and then put the robot into the water, the robot will enter sleeping mode at first. After 24 hours, it will start cleaning automatically.




If the battery is less than 15% during its cleaning, will keep flashing 1 red light, the robot will automatically go to the nearby poolside and shut down, then enter into sleep mode after 5 minutes.


2.3

Cleaning filter basket

When cleaning is done, the robot will stop by the wall of pool. Please use the hook to catch the handle and lift the robot out of the water, then clean the filter basket as below operation:




Note: There is a risk of being scratched by surface debris when cleaning the filter basket with your hands, it is recommended to wear rubber gloves for protection.



2.4

Charging the robot



0

Plug the adapter into power supply and make sure that indicator light is being red.

2

Open the cover of the robot's plug to expose the plug charging port.

3

Align the adapter plug post with the robot socket. When the robot is charging, the battery light of the robot flashes in green and the indicator light of the adapter is being on in red.

4

If battery light is full with 3 green lights on, and indicator light of the power adapter goes green, then the robot is fully charged.

5

Before charging, make sure charging port is dry.

6

It is recommended to disconnect the charger after charging completed to protect the battery.

7

If the robot needs to be stored for a long time, it should be fully charged at least every three months to protect the battery.

Note: The robot must use original power adapter.

2.5

WIFI matching for the robot

Hold for 3s, then the robot will have a beep sound, the robot enters matching mode, start flashing, then open the "AI-BOT" APP to search device and go matching, the robot will have three beep sounds and will be in green lights after matching done. After matching, setup of the robot can be operated by APP through Wi-Fi or Bluetooth. Setup of the robot cannot be operated by APP if the robot is in the pool. (Due to the physical limitation of radio signal penetration in water).

Download the "AI-BOT" APP in iOS App Store/Google Play Store.









MAINTENANCE



WARNING

- To avoid electric shock and other hazards which could result in major injuries, disconnect the adapter from the power source before performing any cleaning and maintenance.
- Before any maintenance operation, be sure to insert back the magnetic cap at the bottom of the robot to avoid injuries caused by impeller rotation!

3.1

Filter maintenance



Clean the filter thoroughly and regularly for a better cleaning and climbing performance. Otherwise, the cleaning and climbing performance may be affected when the filter if full or clogged.



Clean the clogged filter with mild acidic detergent, and it is recommended to clean it at least once a year.


3.2

Impeller maintenance




Visually check whether the impeller or impeller shaft is entangled with hair or other debris when the robot has a reduced suction or climbing performance, clean the debris trapped in the impeller.

*Magnetic cap MUST be inserted back before any operations on the impeller.



MAINTENANCE

The steps are as follows:





Take out the filter box, remove the fixing screws of the inflow ring cover, and take out the inflow ring cover.



Remove the deflector fixing screws and take out the deflector.



Remove the impeller screw, then take out the impeller. (PS: impeller edge is sharp, please wear gloves while operating.



Clean the impeller debris and reassemble the all the parts mentioned above in order.

PS: If you have any difficulties performing impeller maintenance, please contact your dealer for assistance.



Replace the worn brushes

Remove the worn brushes & position the new brushes.



Remove the tabs from the holes inside which they are fastened, then remove the brushes.




0

Fit the side without tabs under the brush holder.



0

Roll the brush around its support, slide the tabs into the attachment holes and pull on the end of each tab until its edge passes through the slit.



MAINTENANCE

3.4


Replace the worn tracks

Remove the worn tracks.






Position the new tracks:







26 madimack 27

TROUBLE SHOOTING

Failure	Possible reason	Solution
Charging failure	Debris on the electrode of charging head (Non-failure)	Clean debris
	The bottom Magnetic cap isn't removed (Non-failure)	Remove the Magnetic cap
	Charger is damaged	Replace charger
Switch on failure	The Magnetic cap isn't removed (Non-failure)	Remove the Magnetic cap
	Water spots on the robot display or people's hand (Non-failure)	Keep the display and hands dry, then try again
	No power in the battery (Non-failure)	Get the robot fully charged
	Low battery (Non-failure)	Get the robot fully charged
Not working (not moving, not pumping)	Out of water (Non-failure)	Make sure the robot is submerged under water and indicator lights being on
	No pressing the on/off button after settings are done (Non-failure)	Press the on/off button after the settings are done, make sure indicator lights being on before putting the robot into water
	Full load of filter basket (Non-failure)	Clean filter basket
Moving but not pumping	The impeller gets stuck	Check whether there is debris in the guide ring, affecting the rotation of the impeller. (Please insert back the magnetic cap before operation, to avoid injuries caused by the impeller rotation.
	Full load of filter basket (Non- failure)	Clean filter basket
	Water inlet is blocked(Non- failure)	Take out of filter basket and clean water inlet
	Battery low (Non-failure)	Get the robot fully charged

Failure	Possible reason	Solution	
	The moving motor gets stuck	Please contact the dealer for replacement	
	Track is deviated and stuck (Non-failure)	Turn the robot upside down and roll the track forward and backward to restore the track	
Pumping but not moving	Track is damaged	Replace track	
	Scrubber gets stuck (Non-failure)	Clean scrubber	
	The robot gets stuck by obstacle and shut down for auto-protection (Non-failure)	Remove obstacle and restart	
	Full load of filter basket (Non-failure)	Clean filter basket	
	Under floor cleaning mode (Non-failure)	Turn to overall cleaning mode	
Not climbing	The impeller is stuck	Check whether there is debris in the guide ring, affecting the rotation of the impeller. (Please insert back the magnetic cap before operation, to avoid injuries caused by the impeller rotation.	
	Full load of filter basket (Non-failure)	Clean filter basket	
	Water inlet is blocked (Non-failure)	Take out of filter basket and clean the water inlet	
	Battery low (Non-failure)	Get the robot fully charged	
Poor cleaning capability	The impeller is stuck	Remove any debris or hair in the guide ring	
	Full load of filter basket (Non- failure)	Clean filter basket	
	Water inlet blocked (Non-failure)	Take out of filter basket and clean water inlet.	
	Scrubber is damaged	Replace scrubber	
	Filter basket is damaged	Replace filter basket	
Unusual non-stop	Software failure	Insert the magnetic cap back to bottom for 5s, then remove it and restart	

TROUBLE SHOOTING

NOTE

- Do not use the robot when people or animals are in the pool.
- Charger MUST BE DISCONNECTED before conducting any maintenance on the robot.
- Contact your dealer for problems not covered in Trouble Shooting Guide.
- Normally, the robot will stop at the poolside when it encounters any failure or when the battery level is less than 15%.
- In case of robot anomalies, the LED indicators on the control panel flash, and the Error Code will be displayed, please see chapter 2.1 to check the reason of malfunction.
- By clicking the button or charging the robot, the Error Code may be cleared. If the Error Code cannot be cleared, please contact your dealer for technical support.



INDOOR

For switch power supply indoor use only.



Recycling

When disposing the product, please hand it over to a designated collection point for the recycling of waste electrical and electronic equipment. The separate collection and recycling of waste equipment at the time of disposal will help ensure that it is recycled in a manner that protects human health and the environment. For more information about where you can drop off your waste for recycling, please contact your local authority

